




Agromet Advisory Service bulletin 06/18(12), Friday dt.09-02-2018

(Issued jointly by IAAS Vellanikkara)

Dept. of Agricultural Meteorology, College of Horticulture, Vellanikkara

Email: kauagmet@yahoo.co.in, cohagmet@kau.in



THRISSUR

CURRENT SYNOPTIC SITUATION : A trough of low at mean sea level lies over SW Bay of Bengal and adjoining South Sri Lanka . Another trough of low at mean sea level lies over South East Arabian sea off Kerala coast.

NWP MODELS BASED DISTRICT LEVEL WEATHER FORECAST

ISSUED ON: 09.02.2018

VALID TILL 08:30 HRS IST OF THE NEXT 5 DAYS

DISTRICT : THRISSUR

ENSEMBLE FCST

PARAMETERS	10.02.2018	11.02.2018	12.02.2018	13.02.2018	14.02.2018
Rainfall (mm)	2	3	2	0	0
Max Temperature (deg	35	35	35	35	35
Min Temperature (deg C)	23	23	23	23	23
Total cloud cover (octa)	5	5	5	4	4
Max Relative Humidity (%)	80	80	80	80	80
Min Relative Humidity (%)	55	55	55	55	55
Wind speed (kmph)	10	10	10	10	10
Wind direction (deg)	250	250	250	250	250

Agro Meteorological Advisories:

Crop	Crop stage / Pest/Disease	Advisories
Paddy	-	Puncha is in seedling stage.
Coconut	Management	Mulching can be done with dried or green coconut leaves or coir pith to maintain moisture in coconut gardens. Lower one or two whirls can be cut off to prevent moisture loss from plant. Coconut stem up to two metres can be painted with slaked lime to prevent sun scorching. Organic content in the soil can be ensured for maintaining soil temperature. Drip irrigation shall be adopted.
Ginger, Turmeric and Pepper	Harvesting stage	Harvesting can be initiated in ginger, turmeric, pepper etc. Severe drying of pepper vines can be controlled by providing mulches.
Vegetables	Aphids	The amount of sucking insects will be increasing due to increasing atmospheric temperature. Apply 2% neem oil-garlic-soap emulsion for control of aphids.
Animal Husbandry	Adopt measures to eradicate external parasitic infestations in animals. (CAADECCS, KVASU, Mannuthy)	