





## Agromet Advisory Bulletin for Ernakulam District (Valid from 10.12.2022 to 14.12.2022)

Prepared by the Department of Agricultural Meteorology, Kerala Agricultural University, COA, Vellanikkara based on the medium range weather forecast of India Meteorological Department (IMD), New Delhi

AAS Bulletin No: 49/2022, (98) Friday

dated 09.12.2022

## A. Medium range weather forecast of IMD for next five days

Weather parameters	10.12.2022	11.12.2022	12.12.2022	13.12.2022	14.12.2022
Rainfall (mm)	1	0.1	0.3	0.5	0.9
Maximum temperature (°C)	30	31	30	30	30
Minimum temperature (°C)	25	24	23	23	23
Maximum Relative Humidity (%)	84	84	84	84	84
Minimum Relative Humidity (%)	75	75	75	75	75
Wind speed (kmph)	5	5	5	3	4
Wind direction (deg)	360	320	320	180	230
Total cloud cover (octa)	7	7	8	8	8

RAINFALL FORECAST FOR NEXT FIVE DAYS						
2022 December 10	2022 December 11	2022 December 12	2022 December 13	2022 December 14		
Very light rain	Very light rain	Very light rain	Very light rain	Very light rain		

## Weather summary / Alert: Light rainfall is expected in the district. Normal rainfall is expected in Kerala.

## **B.** Agrometeorological Advisories for crop protection & management

Since there is a chance of dry weather condition due to strong wind and high evaporation, crops should be irrigated, when required. Since the wind speed may increase, give strong propping to banana and staking to vegetables.				
Сгор	Pest/ Disease	Crop/ Animal Advisory		
Rice (General)	Bacterial Leaf blight	Dissolve 20 g cow dung in one litre of water and spray supernatant liquid by mixing with 20 g <i>Pseudomonas</i> in one litre of water.		
Coconut	Rhinocerose beetle / Red Palm weevil	Field sanitation; top most three leaf axils may be filled with 25g neem cake and 200g sand mixture or naphthalene balls and sand as a prophylactic measure and repeat this procedure 45 days interval; Crown cleaning followed by the application of 20g cartap hydrochloride 4G/ Fipronil 0.3G / Carbosulphan 6G mixed with 200g sand on top three leaf axils; <b>mist net balls</b> can be inserted around leaf spindles.		
Various crops	Caterpillars	Neem seed kernel extract 5% (Grind 50g Neem seed kernel to coarse powder, put in muslin cloth bag, keep immersed in 1 L water overnight. Thereafter, squeeze the cloth bag by dipping in water repeatedly till the water coming out from cloth bag becomes clear); <i>Beauveria bassiana</i> 20g per liter can be sprayed; Chlorantranilipole 18.5 SC 3ml / 10 liter water can be sprayed. If the hairy caterpillars are spreading to homesteads, Cypermethrin 1 ml per litre along with a sticker can be applied.		