


Agromet Advisory Service bulletin 08/17 Tuesday dt 21-02-17 (Issued jointly by IAAS Vellanikkara) Dept. of Agriculture Meteorology, College of Horticulture, Vellanikkara E mail: kauagmet@yahoo.co.in, cohagmet@kau. PALAKKAD



NWP MODELS BASED DISTRICT LEVEL WEATHER FORECAST ISSUED ON: 21.02.2017 VALID TILL 08:30 HRS IST OF THE NEXT 5 DAYS

STATE : KERALA

PARAMETERS	ENSEMBLE FCST				
	DAY-1 22/02	DAY-2 23/02	DAY-3 24/02	DAY-4 25/02	DAY-5 26/02
DISTRICT : PALAKKAD					
Rainfall (mm)	0	0	0	0	
Max Temperature (deg C)	36	36	36	36	3
Min Temperature (deg C)	24	24	24	24	2
Total cloud cover (octa)	3	3	3	3	3
Max Relative Humidity (%)	80	80	80	80	8
Min Relative Humidity (%)	35	35	35	35	3
Wind speed (kmph)	006	006	006	006	00
Wind direction (deg)	320	320	090	090	09

Agro Meteorological Advisories:

Сгор	Stage of the crop / Pest/Disease	Advisories
Paddy	Land preparation to transplanting	Plough the land for Punja cultivation. Transplant seedlings at 4-5 leaf stage. Soak seed for 30 minutes in a solution of Pseudomonas culture @10g/litre of water per kg of seed. The above seed treatment can also be used to control sheath blight, sheath root, leaf spot disease etc.
Banana	Cigar end rot disease	Due to high temperature and low humidity, there is a chance of Cigar end disease in banana bunches. Blackening and shrinking of the effected fingers which later gets covered with a powdery mass of spores is the symptom of this disease.To control the disease, spray 2.5 g copper oxychloride @ 1 liter of water.
Vegetables	Leaf spot disease (Amaranthus)	Cut and remove the severely affected leaves. Apply 15 gm of Pseudomonas in cleared cow dung water after harvesting. Also apply Trichoderma mixed with cowdung in soil.