




Advisory Service bulletin 05/17, Friday dt.03-02-2017

(Issued jointly by IAAS Vellanikkara)

Dept. of Agriculture Meteorology, College of Horticulture, Vellanikkara

E mail: kauagmet@yahoo.co.in, cohagmet@kau.in

THRISSUR



CURRENT SYNOPTIC SITUATION: An upper air cyclonic circulation lies over Maldives and neighbourhood upto 0.9 km above sea level.

NWP MODELS BASED DISTRICT LEVEL WEATHER FORECAST

ISSUED ON: 03.02.2017

VALID TILL 08:30 HRS IST OF THE NEXT 5 DAYS

STATE : KERALA

PARAMETERS	ENSEMBLE FCST				
	DAY-1 04/02	DAY-2 05/02	DAY-3 06/02	DAY-4 07/02	DAY-5 08/02
DISTRICT : THRISSUR					
Rainfall (mm)	0	0	0	0	0
Max Temperature (deg C)	35	35	35	35	35
Min Temperature (deg C)	23	23	23	23	23
Total cloud cover(octa)	1	1	1	1	1
Max Relative Humidity (%)	65	65	65	65	65
Min Relative Humidity (%)	30	30	30	30	30
Wind speed (kmph)	006	006	006	006	006
Wind direction (deg)	270	270	270	270	270

Agro Meteorological Advisories:

Crop	Stage of the crop / Pest/Disease	Advisories
Banana	Spodoptra	Due to the increase in maximum temperature there is a chance for Spodoptra in banana. Destroy the affected leafs along with the spodoptra. For severe attack spray Fame 2 ml/10 L of water.
Coconut	White fly/Sooty mould	Increase in maximum temperature may cause severe attack of white flies and sooty mould in coconut. As a control measure spray starch solution (1%) on coconut leaves.
Pepper	Root mealy bug	To control root mealy bug in pepper, drench the basin with chlorpyrifos 2.5 ml/L of water.