

Agromet Advisory Service bulletin 09/17, Tuesday dt 28-02-2017

(Issued jointly by IAAS Vellanikkara)

Dept. of Agriculture Meteorology, College of Horticulture, Vellanikkara E mail: kauagmet@yahoo.co.in, cohagmet@kau.in



Significant weather for the preceding week at Vellanikkara

Rainfall weekly total	0.0 mm
Maximum temperature	33.0-39.7°C
Minimum temperature	22.7-24.5° C
Max. RH	59-95%
Min. RH	14-60%
Wind speed	1.3-2.9 km/hr
Sun shine hour	1.6-9.0 hr
Evaporation	2.6-5.6 mm

CURRENT SYNOPTIC SITUATION: A trough at mean sea level lies over central parts of south Bay of Bengal & adjoining equatorial Indian ocean.

NWP MODELS BASED DISTRICT LEVEL WEATHER FORECAST ISSUED ON: 28.02.2017

VALID TILL 08:30 HRS IST OF THE NEXT 5 DAYS

STATE: KERALA

PARAMETERS					
	DAY-1 01/03	DAY-2 02/03	DAY-3 03/03	DAY-4 04/03	DAY-5 05/03
DISTRICT : THRISSUR					
 Rainfall (mm)	0	0	0	1	1
Max Temperature (deg C)	37	37	37	37	37
Min Temperature (deg C)	24	24	24	24	24
Total cloud cover (octa)	4	4	4	4	4
Max Relative Humidity (%)	80	80	80	80	80
Min Relative Humidity (%)	45	45	45	45	45
Wind speed (kmph)	008	800	008	800	008
Wind direction (deg)	250	250	250	290	290

Agro Meteorological Advisories:

Crop	Stage of the crop / Pest/Disease	Advisories
Paddy	Land preparation to transplanting	Plough the land for Punja cultivation. Transplant seedlings at 4-5 leaf stage. Soak seed for 30 minutes in a solution of Pseudomonas culture @10g/litre of water per kg of seed. The above seed treatment can also be used to control sheath blight, sheath root, leaf spot disease etc.
Coconut	Management	Mulching can be done with dried or green coconut leaves or coir pith to maintain moisture in coconut gardens. Lower one or two whirls can be cut off to prevent moisture loss from plant. Coconut stem upto one or two metres can be painted with slaked lime to prevent sun scorching. Organic content in the soil can be ensured for maintaining soil temperature. Drip irrigation shall be adopted.
Vegetables	Jassid and whitefly	Due to high temperature, there is a chance of attack of white fly and jassid in vegetables. Stunted growth caused by them can be controlled by hanging yellow boards painted with castor oil.