



Agromet Advisory Bulletin for Thrissur District (Valid from 10.12.2022 to 14.12.2022)



Prepared by the Department of Agricultural Meteorology, Kerala Agricultural University, COA, Vellanikkara based on the medium range weather forecast of India Meteorological Department (IMD), New Delhi

AAS Bulletin No: 49/2022, (98) Friday

dated 09.12.2022

A. Significant weather for the preceding week at vellanikkara							
Rainfall	Maximum	Minimum	RH	RH	Wind speed	Sun shine	Evap. (mm)
(mm)	Temp.(°C)	Temp.(°C)	FN (%)	AN (%)	(Km/h)	hours	
(0.8)	(30.9-33.8)	(21.6-24.0)	(71-95)	(49-66)	(0.6-5.5)	(0.9-8.8)	(1.6-4.0)

Weather parameters	10.12.2022	11.12.2022	12.12.2022	13.12.2022	14.12.2022
Rainfall (mm)	1	0.1	0.5	0.5	0.4
Maximum temperature (°C)	31	33	33	33	33
Minimum temperature (°C)	23	23	23	23	23
Maximum Relative Humidity (%)	91	91	91	91	91
Minimum Relative Humidity (%)	70	70	70	70	70
Wind speed (kmph)	2	2	3	4	3
Wind direction (deg)	160	340	320	180	210
Total cloud cover (octa)	8	7	8	8	7

Weather summary / Alert: Light rainfall is expected in the district. Normal rainfall is expected in Kerala.

RAINFALL FORECAST FOR NEXT FIVE DAYS				
2022 December 10	2022 December 11	2022 December 12	2022 December 13	2022 December 14
Very light rain	Very light rain	Very light rain	Very light rain	Very light rain

C. General and Agrometeorological Advisories for Thrissur District				
Since there is a chance of dry weather condition due to strong wind and high evaporation, crops should be irrigated, when				
required. Since the	quired. Since the wind speed may increase, give strong propping to banana and staking to vegetables.			
Сгор	Pest/ Disease	Crop/ Animal Advisory		
Rice (Mundakan) Tillering stage	Leaf folder	During cloudy weather condition, there is a chance of Leaf folder atta Mundakan Paddy. It can be controlled by using trichogramma cards per one acre). Cut the cards in to small pieces and fix in different region the field. If the attack is severe, spray Chlorantraniliprole @ 3ml per litre of water.		
	Bacterial Leaf blight	To control and prevent Bacterial Leaf blight in paddy, mix 20 g of cow dung in one litre of water and spray the supernatant liquid by mixing with 20g of pseudomonas.		
Chilli	ThripsThere is a chance of thrips attack in chilli. Apply 2% neem emulsion or spray 2 g Thiamethoxam per ten litres of water.			
Bitter gourd	Jassid's	Due to increase in atmospheric temperature, the attack of Jassid's in Bitter gourd was increased. They can be controlled by applying 2% neem oil emulsion once in a week or by spraying <i>Lecanicillium lecanii</i> at 20 g per litre of water.		
Animal Husbandry- Ensure sufficient supply of clean drinking water to the animals. Deworm the animals after dung examination. Vaccinate animals against foot and mouth disease and haemorrhagic septicaemia. (CAADECCS, KVASU, Mannuthy).				