- 3. An agreement in Kerala stamp paper worth **Rs.100/-** should also be enclosed. (form of agreement can be downloaded from the website http/www.kau.edu/tenders under the related document section).
- 4. The sealed cover containing the tender documents should be super scribed as "Tender for "Solar Panel and Irrigation System for the Poly House" as per B3-4858/18" of this College and send to the Dean, KCAET, Tavanur Pin 679573, Malappuram Dt, Kerala state.
- 5. Tenders received late or incomplete in any respect will be summarily rejected, without any notice and the decision of the undersigned on such matter will be final.
- 6. Successful tenderers will have to execute an agreement and remit security deposit @5% of the value of the articles ordered less the amount of EMD, drawn as DD/fixed Deposit.
- 7. The brand, make, model and detailed specifications and warranty terms are to be incorporated.
- 8. The items are to be supplied and installed at the KCAET, Tavanur and their working has to be demonstrated satisfactorily.
- 9. Supplier should give the details of the nearest service center and response time.
- 10. Details of warranty, after sales service offered on expiry of normal warranty period available should be mentioned.
- 11. The undersigned reserves the authority to accept or reject any or all the tenders without assigning any reason.
- 12. The decision of the undersigned in finalizing the tender shall be final and binding.
- 13. The client list may be attached in support of goodwill of the company.
- 14. Leaflets/brochures/catalogue of the equipments describing its features, application/specification etc. should be provided along with the tender.
- 15. Tenders will be received up to 2.30 pm on 03-09-2018
- 16. Tenders will be opened at 3.00 pm on 03-09-2018 in the presence of the tenderers present at that time.
- 17. Supply should be effected on or before 07-09-2018
- 18. Necessary training for the operator should be provided without any additional charges
- 19. All conditions of Kerala Govt. tenders are applicable in this case also.

Sd/Dean (Ag.Engg.)